| StackEasy Product Details | | | | |
|---|---|---|---|---|
| S.No | **Brand** | **Product Name & Code** | Image | Specification |
| 1 | StackEasy | Hand Pallet Truck 2000 Kg 1150x550 mm<br>SE/HHPT/20 | | Capacity : 2000 Kg<br>Fork Length : 1150 mm<br>Width Overall Fork : 550 mm<br>Lower Fork Height : 85 mm<br>Max Lifting Height : 200 mm<br>Steering Wheel : 200 x 50 mm<br>Roller Small : 80x70 mm<br>Self Weight : 73-92kg |
| 2 | StackEasy | Hand Pallet Truck 2000 Kg 1220x685 mm<br>SE/HHPT/20 | | Capacity : 2000 Kg<br>Fork Length : 1220 mm<br>Width Overall Fork : 685 mm<br>Lower Fork Height : 85 mm<br>Max Lifting Height : 200 mm<br>Steering Wheel : 200 x 50 mm<br>Roller Small : 80x70 mm<br>Self Weight : 73-92kg |
| 3 | StackEasy | Hand Pallet Truck 2500 Kg 1150x550 mm<br>SE/HHPT/25 ECO | | Capacity : 2500 Kg<br>Fork Length : 1150 mm<br>Width Overall Fork : 550 mm<br>Lower Fork Height : 85 mm<br>Max Lifting Height : 200 mm<br>Steering Wheel : 200 x 50 mm<br>Roller Small : 80x70 mm<br>Self Weight : 73-92kg |
| 4 | StackEasy | Hand Pallet Truck 2500 Kg SE/HHPT 25<br>1150X685 | | Capacity : 2500 Kg<br>Fork Length : 1150 mm<br>Width Overall Fork : 685 mm<br>Lower Fork Height : 85 mm<br>Max Lifting Height : 200 mm<br>Steering Wheel : 200 x 50 mm<br>Roller Small : 80x70 mm<br>Self Weight : 73-92kg |
| 5 | StackEasy | Hand Pallet Truck 2500 Kg SE/HHPT 25<br>1220X685 | | Capacity : 2500 Kg<br>Fork Length : 1220 mm<br>Width Overall Fork : 685 mm<br>Lower Fork Height : 85 mm<br>Max Lifting Height : 200 mm<br>Steering Wheel : 200 x 50 mm<br>Roller Small : 80x70 mm<br>Self Weight : 73-92kg |
| 6 | StackEasy | Baby Pallet Truck 2500 Kg SE/SHAKTI 25<br>800X550 | | Capacity : 2500 Kg<br>Fork Length : 800 mm<br>Width Overall Fork : 550 mm<br>Lower Fork Height : 85 mm<br>Max Lifting Height : 200 mm<br>Steering Wheel : 200 x 50 mm<br>Roller Small : 80x70 mm<br>Self Weight : 73-92kg |
| 7 | StackEasy | Hand Pallet Truck 2500 Kg 1150x540 mm<br>SE/SHAKTI 25 | | Capacity : 2500 Kg<br>Fork Length : 1150 mm<br>Width Overall Fork : 550 mm<br>Lower Fork Height : 85 mm<br>Max Lifting Height : 200 mm<br>Steering Wheel : 200 x 50 mm<br>Roller Small : 80x70 mm<br>Self Weight : 73-92kg |
| 8 | StackEasy | Galvanized Hand Pallet Truck 1150x550 mm<br>SE/GPT/25 | | Capacity : 2500 Kg<br>Fork Length : 1150 mm<br>Width Overall Fork : 540 mm<br>Lower Fork Height : 85 mm<br>Max Lifting Height : 200 mm<br>Steering Wheel : 200 x 50 mm<br>Roller Small : 80x70 mm<br>Self Weight : 73-92kg |
| 9 | StackEasy | Hand Pallet Truck 3000 Kg 1150x550 mm<br>SE/HHPT/30 | | Capacity : 3000 Kg<br>Fork Length : 1150 mm<br>Width Overall Fork : 550 mm<br>Lower Fork Height : 85 mm<br>Max Lifting Height : 200 mm<br>Steering Wheel : 200 x 50 mm<br>Roller Small : 80x70 mm<br>Self Weight : 73-92kg |

| | | | | |
|---|---|---|---|---|
| 10 | StackEasy | Hand Pallet Truck 3000 Kg 1220x685 mm<br>SE/HHPT/30 | | Capacity : 3000 Kg<br>Fork Length : 1220 mm<br>Width Overall Fork :685 mm<br>Lower Fork Height : 85 mm<br>Max Lifting Height : 200 mm<br>Steering Wheel: 200 x 50 mm<br>Roller Small : 80x70 mm<br>Self Weight : 73-92kg |
| 11 | StackEasy | Hand Pallet Truck 5000 Kg 1150x550 mm<br>SE/HHPT 50 | | Capacity : 5000 Kg<br>Fork Length : 1150 mm<br>Width Overall Fork : 550 mm<br>Lower Fork Height : 85 mm<br>Max Lifting Height : 190 mm<br>Steering Wheel: 200 x 50 mm<br>Roller Small : 80x70 mm<br>Self Weight : 140kg |
| 12 | StackEasy | Roll Pallet Truck 2000 Kg 1100x760 mm<br>SE/PRV 20 | | Capacity : 2000 Kg<br>Real Diameter : 400-600 mm<br>Fork Length : 1100 mm<br>Width Overall Fork : 760 mm<br>Lower Fork Height : 85 mm<br>Max Lifting Height : 200 mm<br>Big Wheel: 200 x 50 mm (PU)<br>Roller Small : 80 x 70 mm (PU) |
| 13 | StackEasy | High Lift Pallet Truck 1000 Kg 1150x540X800 mm<br>SE/HL/SP 1008 | | Capacity : 1000 Kg<br>Fork Length : 1150 mm<br>Width Overall Fork : 540 mm<br>Lower Fork Height : 85 mm<br>Max Lifting Height : 800 mm<br>Big Wheel: 180 x 50 mm<br>Self Weight : 128kg |
| 14 | StackEasy | Hydraulic Rough Terrain Pallet Truck 1200kg<br>SE/RTPT 12 | | Capacity : 1200 Kg<br>Real Diameter : 400-600 mm<br>Fork Length : 860 mm<br>Fork Width : 100mm<br>Adjustable Fork Width: 228-735 mm<br>Lower Fork Height : 63 mm<br>Max Lifting Height : 233 mm<br>Max Pump Stroke : 170mm<br>Front/Big Wheel: 550 x 132 mm<br>Rear Wheel : 265 x 80 mm<br>Width inside the front Wheel ; 1277mm<br>Net Weight : 225Kg<br>Overall Size LxWXH:1375x1605x1200mm |
| 15 | StackEasy | Hand Drum Rotating Truck 350 Kg SE/RDH/35 | | Capacity : 350 Kg<br>Lifting Height : 1425mm<br>Overall Length : 1190 mm<br>Overall Width : 890 mm<br>Overall Height : 2020 mm<br>Self Weight : 155kg |
| 16 | StackEasy | Hand Drum Truck 300 Kg SE/DLT/30 | | Lifting Capacity -300 kg<br>Lifting Height- 400mm<br>Overall dimension-<br>1025x915x1180<br>Self Weight- 80 kg |
| 17 | StackEasy | Hydraulic Stacker Low Height 1000kg SE/VV 1009 | | Capacity 1000kg<br>Max. Fork Height: 900mm<br>Min. Fork Height : 86±2mm<br>Fork Length : 1170mm<br>Size of Fork : 150x50mm<br>Fork Width(outside) : 540mm<br>Fork Width(Inside) : 240mm<br>Overall Height: 1220mm<br>Overall Width : 700mm |

| | | | | |
|---|---|---|---|---|
| 18 | StackEasy | Hydraulic Stacker Low Height 1000kg SE/VV 1012 | | Capacity 1000kg<br>Max. Fork Height: 1200mm<br>Min. Fork Height : 86±2mm<br>Fork Length : 1170mm<br>Size of Fork : 150x50mm<br>Fork Width(outside) : 540mm<br>Fork Width(Inside) : 240mm<br>Overall Height: 1520mm<br>Overall Width : 700mm |
| 19 | StackEasy | Hydraulic Stacker Low Height 1000kg SE/VV 1016 | | Capacity 1000kg<br>Max. Fork Height: 1600mm<br>Min. Fork Height : 86±2mm<br>Fork Length : 1170mm<br>Size of Fork : 150x50mm<br>Fork Width(outside) : 540mm<br>Fork Width(Inside) : 240mm<br>Overall Height: 1920mm<br>Overall Width : 700mm |
| 20 | StackEasy | Manual Stacker 1000 Kg SE/MS/1016 | | Capacity : 1000 Kg<br>Fork Length : 1150 mm<br>Width Overall Fork : 550 mm<br>Lower Fork Height : 85 mm<br>Lifting Height : 1600 mm<br>Overall Length : 1280mm<br>Load Centre : 500mm<br>Self Weight : 225kg |
| 21 | StackEasy | Ajustable Manual Stacker 1000 Kg SE/AMS/1016 | | Capacity : 1000 Kg<br>Fork Length : 900 mm<br>Adjustable fork Width up to : 680 mm<br>Lower Fork Height : 85 mm<br>Lifting Height : 1600 mm<br>Lifting speed (mm/stroke) : 20<br>Dimension ; 2100x750x1420mm<br>Self Weight : 227kg |
| 22 | StackEasy | Manual Stacker 1500 Kg SE/MS/1516 | | Capacity : 1500 Kg<br>Fork Length : 1150 mm<br>Width Overall Fork : 550 mm<br>Lower Fork Height : 85 mm<br>Lifting Height : 1600 mm<br>Overall Length : 1280mm<br>Load Centre : 500mm<br>Self Weight : 225kg |
| 23 | StackEasy | Adjustable Manual Stacker 2000 Kg SE/AMS/2016 | | Capacity : 2000 Kg<br>Fork Length : 900 mm<br>Adjustable fork Width up to : 680 mm<br>Lower Fork Height : 85 mm<br>Lifting Height : 1600 mm<br>Lifting speed (mm/stroke) : 20<br>Dimension ; 2100x750x1420mm<br>Self Weight : 250kg |
| 24 | StackEasy | Semi-Electric Stacker 1000 Kg lift ht 3000 mm SE/SES1030 | | Capacity : 1000 Kg<br>Fork Length : 1100 mm<br>Width Overall Fork : 570 mm<br>Lower Fork Height : 85 mm<br>Lifting Height : 3000 mm<br>Extended mast Height : 3570mm<br>Load Centre distance : 800mm<br>Turning Radius : 1400 mm<br>Self Weight : 430kg (Including battery)<br>Big Wheel : 180x50mm<br>Small Wheel : 74x70 mm<br>Lift speed loaded/Unloaded: 90/140mm/s<br>Lowering Speed loaded/Unloaded: 120/100mm/s<br>Dimension : 2080x777x1720mm<br>Parking Brake : Manual<br>Battery : 12V 150AH 1.5 Kw 45 kg |

| | | | | |
|---|---|---|---|---|
| 25 | StackEasy | Semi-Electric Stacker 1500 Kg Lift Ht 3000 mm SE/SES1530 | | Capacity : 1500 Kg<br>Fork Length : 1100 mm<br>Width Overall Fork : 570 mm<br>Lower Fork Height : 85 mm<br>Lifting Height : 3000 mm<br>Extended mast Height : 3520mm<br>Load Centre distance : 600mm<br>Turning Radius : 1400 mm<br>Self Weight : 543kg (Including battery)<br>Big Wheel : 180x50mm<br>Small Wheel : 74x70 mm<br>Lift speed loaded/Unloaded: 65/100mm/s<br>Lowering Speed loaded/Unloaded: 85/70mm/s<br>Dimension : 2030x777x1720mm<br>Parking Brake : Manual<br>Battery : 12V 150AH 1.5 Kw 45 kg |
| 26 | StackEasy | Hydraulic Lift Table Truck 150 Kg SE/PT 15<br>700 X 450 X 36 | | Capacity : 150 Kg<br>Min. Table Height : 220 mm<br>max. Table height : 720 mm<br>Dimension of table : 7000x450mm<br>Caster Wheel : 100x25mm<br>Foot pedal Cycle to max height : <28 Times<br>Height of handle from the ground : 950mm |
| 27 | StackEasy | Hydraulic Lift Table Truck 300 Kg SE/PT 30<br>850 X 500 | | Capacity : 300 Kg<br>Min. Table Height : 285/340 mm<br>max. Table height : 880 mm<br>Dimension of table : 850x500mm<br>Caster Wheel : 125x40mm<br>Foot pedal Cycle to max height : <27 Times<br>Height of handle from the ground : 990mm |
| 28 | StackEasy | Hydraulic Lift table Truck 500 Kg SE/PT 50<br>1600 X 810 | | Capacity : 500 Kg<br>Min. Table Height : 290mm<br>max. Table height : 915 mm<br>Dimension of table : 1600x810mm<br>Caster Wheel : 125x40mm<br>Foot pedal Cycle to max height : <55 Times<br>Height of handle from the ground |
| 29 | StackEasy | Hydraulic Lift Table Truck 700 Kg SE/PT 70<br>1220 X 610 | | Capacity : 700 Kg<br>Min. Table Height : 445mm<br>max. Table height : 1500 mm<br>Dimension of table : 1220x610mm<br>Caster Wheel : 125x40mm<br>Foot pedal Cycle to max height : <97 Times<br>Height of handle from the ground : 1015mm<br>Self Weight : 195kg |
| 30 | StackEasy | Hydraulic Lift table Truck 1000 Kg SE/PT100<br>1016 X 510 | | Capacity : 1000 Kg<br>Min. Table Height : 380mm<br>max. Table height : 990 mm<br>Dimension of table : 1016x510x55mm<br>Caster Wheel : 127x50mm<br>Foot pedal Cycle to max height : <82 Times<br>Height of handle from the ground : 980mm<br>Self Weight : 140kg |

| | | | | |
|---|---|---|---|---|
| 31 | StackEasy | Hydraulic Lift table Truck 1000 Kg SE/PT100<br>2035 X 750 | | Capacity : 1000 Kg<br>Min. Table Height : 360mm<br>max. Table height : 1360 mm<br>Dimension of table :<br>2035x750mm<br>Caster Wheel : 180x50mm<br>Foot pedal Cycle to max height :<br><200 Times<br>Height of handle from the ground<br>: 1000mm<br>Self Weight : 198kg |
| 32 | StackEasy | Shop Crane 250-1000 Kg SE/SC/1000 | | Lifting Capacity : 250-1000kg<br>Beam Length : 1160-1460mm<br>Beam Height : 0- 2350 mm<br>Beam Size : 1126-1650mm<br>Power Unit : 7 ton<br>Self Weight : 115 Kg |
| 33 | StackEasy | Skates 6000 Kg SE/S/NW/6000 | | Capacity : 6000 Kg<br>Dimension (LxBxH):<br>300x215x105<br>No of wheel : 4 Nos<br>Wheel Size : 80x 70mm<br>Wheel material : PU<br>With handle |
| 34 | StackEasy | Skates 15000 Kg SE/S/NW/15000 | | Capacity : 15000 Kg<br>Dimension (LxBxH):<br>300x215x105<br>No of wheel : 9 Nos<br>Wheel Size : 80x 70mm<br>Wheel material : PU<br>With handle |
| 35 | StackEasy | Chip collecting Trolley | | Capacity: 200 Kg, Brand:<br>StackEasy<br>Material:Mild Steel, Condition:<br>New<br>Cart Size: 600*900*900, Color:<br>Smoke gray<br>Trolley is fitted with 4 x 4 inchs<br>wheels (2 x Swivel and 2 x Fix )<br>Coolant Drain Valve |
| 36 | StackEasy | Hand Trolley 150 Kg SE/HT 150 kg | | Capacity : 150 Kg<br>Dimension : 710MMx460MM<br>Wheel Diameter-100 mm<br>Wheel material- nylon<br>Castor wheel - 2 Swivel and 2<br>fixed |
| 37 | StackEasy | Hand Trolley 300 Kg SE/HT300 kg | | Capacity : 300 Kg<br>Dimension : 900MMx600MM<br>Wheel Diameter-130 mm<br>Wheel material- nylon<br>Castor wheel - 2 Swivel and 2<br>fixed |
| 38 | StackEasy | Three Rack Trolley 100 Kg SE/PT/3RA | | Capacity - 100 kg<br>Width of Table - 410 mm<br>Length of Table - 610 mm<br>Height- 900 mm<br>Caster Wheel - 100 X 35<br>Material - Steel<br>Package - 470X160X860 |

| | | | | |
|---|---|---|---|---|
| 39 | StackEasy | Steel Manual Trolley 150 Kg SE/PT/SS/150 | | Capacity - 150 kg<br>Dimension : 740MMx480MM<br>Height- 860 mm ,<br>Caster Wheel - 2 swivel + 2 fixed, 100 X 35mm<br>Material - Steel ,<br>Package - 120X760X495<br>Weight including Packing - 14 kg |
| 40 | StackEasy | Customized Side Mesh Trly 1275x750 500 Kg | | Capacity : 5000 Kg<br>Platform Size : 1200x 750mm<br>Mess depth : 600mm<br>Wheels : 4 (2xSwivel, 2xFixed)<br>Wheel Size :200x50mm<br>Self Weight : 60kg |
| 41 | StackEasy | Platform Trolley Plat/F/7146/ TRLY(150 Kg ) | | Capacity - 150 kg,<br>Dimension : 710MMx460MM<br>Caster Wheel - 2 swivel + 2 fixed 100 mm, Rubber on nylon centers<br>Material - Powder coated oven baked epoxy ; Siemens grey<br>Weight including Packing - 14 kg |
| 42 | StackEasy | Platform Trolley Plat/S/9060/ TRLY(350 Kg ) | | Capacity - 350 kg ,<br>Dimension : 900MMx600MM<br>Caster Wheel - 2 swivel + 2 fixed, rigid castor, 130 mm,<br>Material - Powder coated oven baked epoxy ; Siemens grey |
| 43 | StackEasy | Platform Trolley Plat/S/1275/ TRLY(500 Kg ) | | Capacity - 500 kg ,<br>Dimension : 1200MMx750MM<br>Wheel -2 swivel + 2 fixed rigid castor. Pressed steel heavy duty castors 200mm dia, with integrally moulded on heavy duty pressed steel centers with ball bearing, with thread guards.<br>16 Gauges Pressed steel formed deck reinforced with heavy duty |
| 44 | StackEasy | Platform Trolley Plat/S/1590/ TRLY(1000 Kg ) | | Capacity - 1000 kg ,<br>Dimension : 1500MMx900MM<br>Caster Wheel - 2 swivel + 2 fixed, rigid castor, 200mm x 50 mm<br>Material - Powder coated oven baked epoxy ; Siemens grey |
| 45 | StackEasy | Drum Trolley DRUM/STD/TRLY 205 Kg | | Capacity : 205 Kg<br>Dimension : 1440MMx700MMx900MM<br>Wheel Size - 250 x 60 mm<br>Wheel Material- Cushion Tyred Rubber Wheel.<br>To move the Drums manually from one place to another in the plant , very easy smooth working |
| 46 | StackEasy | Double Wheel Barrow Trolley DWB/CT/350/50/R/TRLY 130 Kg | | Capacity - 130 Kg<br>Dimension : 710MMx570MMx1270MM<br>Wheel Size : 300 x 50 MM<br>Wheel Material- Cushion Tyred Rubber Wheel<br>Suitable for transportation of sacks, bags & other loads. |

| | | | | |
|---|---|---|---|---|
| 47 | StackEasy | Hessan Trolley HESS/NINE/250/TRLY 200 Kg | | Capacity : 200 Kg<br>Dimension : 508x205x1220 mm<br>Wheel Size- 200 x 50 mm<br>Wheel Material- Cushion Tyred Rubber Wheel.<br>To move the material manually from one place to another in the plant & offices, very easy smooth working and sturdy |
| 48 | StackEasy | Doube Gas Cylinder DBL/GAS/CYL/300/R/TRLY 80 Lt (3 CFT) | | Capacity - 80 Lt (3CFT),<br>Dimension : 620MMx570MMx 1270MM<br>Wheel Size : 350 x 50 MM<br>Wheel Material- Cushion Tyred Rubber Wheel<br>Suitable for transportation of double gas cylinders. |
| 49 | StackEasy | Single Gas Cylinder SNGL/GAS/CYL/200/R/TRLY 65 Kg | | Capacity - 65 kg ,<br>Dimension : 475MMx375MMx1050MM<br>Wheel Size : 200 x 50 MM<br>Wheel Material- Cushion Tyred Rubber Wheel<br>Suitable for transportation of single gas cylinder. |
| 50 | StackEasy | Sack Step Trolley Sack/Step/CT/160/R/6WHL/TRLY | | Load Capacity 200 kg<br>Dimension ; 1200x600x500mm<br>Wheel size : 160x40mm<br>Staircase stair climbing trolley is the perfect option to move load up or down a staircase. A beautiful trolley that makes stair climbing look easy. This trolley can help you carry your load up a staircase using its three wheel arrangment. This one is a must |
| 51 | StackEasy | 2 in1Trolley 100 Kg 2in1/CTP/250/75 | | Capacity - 150 kg<br>Dimension :1240x500x500mm<br>Wheel Size :2- 250x75mm & 2- 100x30mm<br>2 in 1 trolley is a unique material handling solution. It can be a Hessian trolley or a platform trolley once it opens out. A unique 2 in 1 solution for your material handling requirments. 2 |
| 52 | StackEasy | Wheel Swivel SE/SW/100/250 4" | | Capacity : 250 kg<br>Wheel Size ; 100 x 50 mm<br>Height with assembly : 143mm<br>With Duplex bearing |
| 53 | StackEasy | Wheel Swivel SE/SW/125/300 5" | | Capacity : 300 kg<br>Wheel Size ; 125 x 50 mm<br>Height with assembly : 165mm<br>With Duplex bearing |

| | | | | |
|---|---|---|---|---|
| 54 | StackEasy | Wheel Swivel SE/SW/150/350 6" | | Capacity : 350 kg<br>Wheel Size ; 150 x 50 mm<br>Height with assembly : 190 mm<br>With Duplex bearing |
| 55 | StackEasy | Wheel Swivel SE/SW/200/400 8" | | Capacity : 400 kg<br>Wheel Size ; 200 x 50 mm<br>Height with assembly : 240 mm<br>With Duplex bearing |
| 56 | StackEasy | Wheel Rigid SE/FW/100/250 4" | | Capacity : 250 kg<br>Wheel Size ; 100 x 50 mm<br>Height with assembly : 143mm<br>With Duplex bearing |
| 57 | StackEasy | Wheel Rigid SE/FW/125/300 5" | | Capacity : 300 kg<br>Wheel Size ; 125 x 50 mm<br>Height with assembly : 165mm<br>With Duplex bearing |
| 58 | StackEasy | Wheel Rigid SE/FW/150/350 6" | | Capacity : 350 kg<br>Wheel Size ; 150 x 50 mm<br>Height with assembly : 190 mm<br>With Duplex bearing |
| 59 | StackEasy | Wheel Rigid SE/FW/200/400 8" | | Capacity : 400 kg<br>Wheel Size ; 200 x 50 mm<br>Height with assembly : 240 mm<br>With Duplex bearing |
| 60 | StackEasy | Wheel Swivel Brake SE/SWCB/100/250 4" | | Capacity : 250 kg<br>Wheel Size ; 100 x 50 mm<br>Height with assembly : 143mm<br>With Duplex bearing<br>With complete brake |
| 61 | StackEasy | Wheel Swivel Brake SE/SWCB/125/300 5" | | Capacity : 300 kg<br>Wheel Size ; 125 x 50 mm<br>Height with assembly : 165mm<br>With Duplex bearing<br>With complete brake |

| | | | | |
|---|---|---|---|---|
| 62 | StackEasy | Wheel Swivel Brake SE/SWCB/150/350 6" | | Capacity : 350 kg<br>Wheel Size ; 150 x 50 mm<br>Height with assembly : 190 mm<br>With Duplex bearing<br>With complete brake |
| 63 | StackEasy | Wheel Swivel Brake SE/SWCB/200/400 8" | | Capacity : 400 kg<br>Wheel Size ; 200 x 50 mm<br>Height with assembly : 240 mm<br>With Duplex bearing<br>With complete brake |
| 64 | StackEasy | Wheel Swivel Brake SE/SWSB/100/250 4" | | Capacity : 250 kg<br>Wheel Size ; 100 x 50 mm<br>Height with assembly : 143mm<br>With Duplex bearing<br>With Side brake |
| 65 | StackEasy | Wheel Swivel Brake SE/SWSB/125/300 5" | | Capacity : 300 kg<br>Wheel Size ; 125 x 50 mm<br>Height with assembly : 165mm<br>With Duplex bearing<br>With Side brake |
| 66 | StackEasy | Wheel Swivel Brake SE/SWSB/150/350 6" | | Capacity : 350 kg<br>Wheel Size ; 150 x 50 mm<br>Height with assembly : 190 mm<br>With Duplex bearing<br>With Side brake |
| 67 | StackEasy | Wheel Swivel Brake SE/SWSB/200/400 8" | | Capacity : 400 kg<br>Wheel Size ; 200 x 50 mm<br>Height with assembly : 240 mm<br>With Duplex bearing<br>With Side brake |
| 68 | StackEasy | Wheel Swivel Brake SE/SWSB/75/100 3" | | Capacity : 100 kg<br>Wheel Size ; 75 x 32 mm<br>Height with assembly : 111 mm<br>With Duplex bearing<br>With Side brake |
| 69 | StackEasy | Wheel Swivel Brake SE/SWCB/75/100 3" | | Capacity : 100 kg<br>Wheel Size ; 75 x 32 mm<br>Height with assembly : 111 mm<br>With Duplex bearing<br>With Complete brake |

| | | | | |
|---|---|---|---|---|
| 70 | StackEasy | Wheel Swivel SE/SW/75/100 3" | | Capacity : 100 kg<br>Wheel Size ; 75 x 32 mm<br>Height with assembly : 111 mm<br>With Duplex bearing |
| 71 | StackEasy | Wheel Rigid SE/FW/75/100 3" | | Capacity : 100 kg<br>Wheel Size ; 75 x 32 mm<br>Height with assembly : 111 mm<br>With Duplex bearing |
| 72 | StackEasy | Wheel Swivel Threaded Stem Brake SE/SWTSB/75/100 3" | | Capacity : 100 kg<br>Wheel Size ; 75 x 32 mm<br>Height with assembly : 111 mm<br>With Duplex bearing<br>With Treaded Stem Side Brake |
| 73 | StackEasy | Wheel Swivel Threaded Stem SE/SWTS/75/100 3" | | Capacity : 100 kg<br>Wheel Size ; 75 x 32 mm<br>Height with assembly : 111 mm<br>With Duplex bearing<br>With Treaded Stem |
| 74 | StackEasy | Swivel Wheel SE/SW/1000, 8" | | Capacity : 450 kg<br>Wheel Size ; 200 x 50 mm<br>Height with assembly : 240 mm<br>With Duplex bearing |
| 75 | StackEasy | Swivel Brake Wheel SE/SWB/1000, 8" | | Capacity : 450 kg<br>Wheel Size ; 200 x 50 mm<br>Height with assembly : 240 mm<br>With Duplex bearing |
| 76 | StackEasy | Swivel Wheel SE/SW/500, 6" | | Capacity : 400 kg<br>Wheel Size ; 150 x 50 mm<br>Height with assembly : 190 mm<br>With Duplex bearing |
| 77 | StackEasy | Swivel Wheel SE/SW/150, 4" | | Capacity : 300 kg<br>Wheel Size ; 100 x 50 mm<br>Height with assembly : 143 mm<br>With Duplex bearing |

| | | | | |
|---|---|---|---|---|
| 78 | StackEasy | Swivel Brake Wheel SE/SWB/150, 4" | | Capacity : 300 kg<br>Wheel Size ; 100 x 50 mm<br>Height with assembly : 143 mm<br>With Duplex bearing<br>With Complete brake |
| 79 | StackEasy | HHPT Small Roller SE/SR/Nylon, 3"x4" | | Capacity : 3000 kg<br>Wheel Size ; 80 x 70 mm<br>Duplex bearing can be fitted<br>Material Nylon |
| 80 | StackEasy | HHPT Front Wheel Nylon 80x70 with Bearing 3"x4" | | Capacity : 3000 kg<br>Wheel Size ; 74 x 52 mm<br>Duplex bearing can be fitted<br>Material Nylon |
| 81 | StackEasy | HHPT Big Wheel SE/BW/Nylon, 8" | | Capacity : 3000 kg<br>Wheel Size ; 180/200 x 50 mm<br>Duplex bearing can be fitted<br>Material Nylon |
| 82 | StackEasy | HHPT Small Roller SE/SR/PU, 3"X4" | | Capacity : 3000 kg<br>Wheel Size ; 80 x 70 mm<br>Duplex bearing can be fitted<br>Material Cast Iron with PU |
| 83 | StackEasy | HHPT Big Wheel SE/BW/PU, 8" (Red & Black) | | Capacity : 3000 kg<br>Wheel Size ; 180/200 x 50 mm<br>Duplex bearing can be fitted<br>Material Cast Iron with PU |
| 84 | StackEasy | HHPT Climb Wheel 2" |  | Capacity : 3000 kg<br>Wheel Size ; 60 x 20 mm<br>Supporting wheel<br>Material Nylon |
| 85 | StackEasy | Shop Crane Wheel SE/SC/1000/PU, 5" | | Capacity : 1000 kg<br>Wheel Size ; 125x50/40 mm<br>Duplex bearing can be fitted<br>Material Cast Iron with PU |
| 86 | StackEasy | Stacker Wheel SE/VV 3" x 4" (Small Roller) | | Capacity : 1000 kg<br>Wheel Size ; 80x90 mm<br>Duplex bearing can be fitted<br>Material Cast Iron with PU |

| | | | | |
|---|---|---|---|---|
| 87 | StackEasy | Tufit Fork Wheel NF BNC-2 4"x 2" | | Capacity : 1000 kg<br>Wheel Size ; 100x50 mm<br>Duplex bearing can be fitted<br>Material Cast Iron with PU |
| 88 | StackEasy | Tufit Small Wheel Nylon, 80x70 | | Capacity : 3000 kg<br>Wheel Size ; 80 x 70 mm<br>Duplex bearing can be fitted<br>Material Nylon |
| 89 | StackEasy | Rear Wheel Nylon Black, SE/MS/1516/S324 8" |  | Capacity : 2000 kg<br>Wheel Size ; 180/200 x 70 mm<br>Duplex bearing can be fitted<br>Material Nylon |
| 90 | StackEasy | Rear Wheel Frame SE/MS1516/S326, | | Capacity: 1500kg<br>Material ; MS<br>Frame width ; 65mm<br>Size of wheel which can be fitted ; 180x50mm<br>Bolt Size : 19mm |
| 91 | StackEasy | Swivel Wheel Brake SE/PT/SS/150, 4" | | Capacity : 150 kg<br>Wheel Size ; 100 x 30-50 mm<br>Roller bearing<br>Material PU<br>Side Brake |
| 92 | StackEasy | Fixed Wheel SE/F/SS/150, 4" | | Capacity : 150 kg<br>Wheel Size ; 100 x 30-50 mm<br>Roller bearing<br>Material PU |
| 93 | StackEasy | Swivel Wheel Plat/7146/150 kg<br>RD3/PT/CTN/100/TG 4" | | Capacity : 150 kg<br>Wheel Size ; 100 x 35-40 mm<br>Roller Bearing<br>Material Cushion tyred wheel |
| 94 | StackEasy | Fixed Wheel Plat/7146/150 kg<br>RD3/F/CTN/100/TG, 4" | | Capacity : 150 kg<br>Wheel Size ; 100 x 35-40 mm<br>Roller Bearing<br>Material Cushion tyred wheel |
| 95 | StackEasy | Swivel Wheel Plat/9060/350kg<br>RPS6/PT/RTP/130/BP/TG 5" | | Capacity : 350 kg<br>Wheel Size ; 130 x 40-50 mm<br>Roller Bearing<br>Material Cushion tyred wheel |
| 96 | StackEasy | Fixed Wheel Plat/9060/350kg<br>RPS6/F/RTP/130/BP/TG 5" | | Capacity : 350 kg<br>Wheel Size ; 130 x 40-50 mm<br>Roller Bearing<br>Material Cushion tyred wheel |

| | | | | |
|---|---|---|---|---|
| 97 | StackEasy | Swivel Wheel Plat/1275/500kg<br>RPS8/PT/CT/200/BP/TG 8" | | Capacity : 500 kg<br>Wheel Size ; 200 x 50 mm<br>Roller Bearing<br>Material Cushion tyred wheel |
| 98 | StackEasy | Fixed Wheel Plat/1275/500 kg<br>RPS8/F/CT/200/BP/TG 8" | | Capacity : 500 kg<br>Wheel Size ; 200 x 50 mm<br>Roller Bearing<br>Material Cushion tyred wheel |
| 99 | StackEasy | Swivel Wheel Plat/1590/1000 kg<br>HSC2/PT/RT/200/R (Swivel), 8" | | Capacity : 1000 kg<br>Wheel Size ; 200 x 50 mm<br>Roller Bearing<br>Material cast Iron with PU |
| 100 | StackEasy | Fixed Wheel Plat/1590/1000 kg HSC2/F/RT/200/R<br>(Fixed), 8" | | Capacity : 1000 kg<br>Wheel Size ; 200 x 50 mm<br>Roller Bearing<br>Material cast Iron with PU |
| 101 | StackEasy | Drum Trolley Rear Wheel<br>RG/SP20/CT/200/R/TGCH/DRUM, 8" | | Capacity : 250 kg<br>Wheel Size ; 200 x 50 mm<br>Roller Bearing<br>Material Cushion tyred wheel |
| 102 | StackEasy | Wheel Drum trolley WHL/CT/250/60/R/25, 10" |  | Capacity : 250 kg<br>Wheel Size ; 250 x 60 mm<br>Roller Bearing<br>Material Cushion tyred wheel |
| 103 | StackEasy | Wheel Hassen Trolley WHL/CT/200/50/R/19,<br>10" | | Capacity : 200 kg<br>Wheel Size ; 200 x 50 mm<br>Roller Bearing<br>Material Cushion tyred wheel |
| 104 | StackEasy | Swivel Wheel With Brake<br>RGBV/PT/CT/100/R/TG/BK, 4" | | Capacity : 150 kg<br>Wheel Size ; 100 x 30-40 mm<br>Roller bearing<br>Material Cushion tyred wheel<br>Complete Brake |
| 105 | | Spares of Material Handling Equipment are<br>available | | |